

Table 1 Characteristics of the 321 participants who completed the questionnaire

| | Mean \pm SD (range) n (%) |
|--------------------------------------|---|
| Female | 185 (58) |
| Age at recruitment (years) | 22.9 \pm 1.1 (20.9-26.7) |
| Age at transfer (years) | 18.0 \pm 1.2 (15.0-23.5) |
| Age at diabetes onset (years) | 9.9 \pm 3.7 (1.2 – 17.3) |
| Diabetes duration (years) | 13.0 \pm 3.8 (4.5-23.2) |
| Insulin pump treatment | 144 (45.4) |
| HbA1c % | 8.8 (5.5-15.8) |
| HbA1c mmol/mol | 73 (37-149) |
| Education | |
| Primary school | 21 (6.5) |
| High school | 181 (56.6) |
| University (0-4 years) | 106 (33.1) |
| University (\geq 4 years) | 12 (3.8) |
| Main activity | |
| Student | 155 (48.4) |
| Employed | 118 (36.9) |
| Unemployed | 19 (5.9) |
| Homemaker | 2 (0.6) |
| Incapacitated | 15 (4.7) |
| Other | 11 (3.4) |
| Living arrangements | |
| With spouse/cohabitant | 120 (37.7) |
| With parents/siblings | 99 (31.1) |
| With own children | 10 (3.1) |
| With friends/shared accommodation | 63 (19.8) |
| Living alone | 50 (15.7) |

Continuous data are expressed as mean \pm SD (range) and categorical data as n (%).

*HbA1c is expressed as % and mmol/mol at last registration in NCDR before transfer

Missing values :1 (0.3 %) for education Level and for main activity and 3 (0.9%) for living arrangements.

Respondents could tick for more than one option for living arrangements.