

RAPPORT

2019

SYSTEMATISK LITTERATURSØK MED SORTERING

Anstrengelsesutløst sykdomsfølelse/ symptomforverring (PEM)

Tittel Anstrengelsesutløst sykdomsfølelse/symptomforverring (PEM):
Systematisk litteratursøk

English title Post-Exertional Malaise (PEM): Systematic literature search

Institusjon Folkehelseinstituttet

Ansvarlig Camilla Stoltenberg, direktør

Forfattere Kirkehei, Ingvild, prosjektleder, *forskningsbibliotekar, FHI*
Larun, Lillebeth, *seniorforsker, FHI*

Publikasjonstype Systematisk litteratursøk med sortering

Antall sider 31 (30 inklusiv vedlegg)

Oppdragsgiver Norges ME-forening

ISBN 978-82-8082-996-2

Emneord(MeSH) Fatigue; Fatigue syndrome, Chronic

Sitering Kirkehei I, Larun L. Anstrengelsesutløst
sykdomsfølelse/symptomforverring (PEM): Systematisk
litteratursøk. Rapport 2019. Oslo: Folkehelseinstituttet, 2019.

Folkehelseinstituttet
Oslo, februar 2019

Innhold

INNHOOLD	2
FORORD	3
METODE	4
Litteratursøk	4
Utvelgelse og sortering av referanser	4
RESULTAT AV SØK	5
PEM definisjon	5
PEM forekomst	6
PEM erfaring	7
PEM måleinstrumenter	7
PEM fysiologi	9
PEM sirkulasjon	15
PEM symptombeskrivelse	16
PEM årsak	17
Behandling av CFS/ME med PEM som utfallsmål	19
Diagnostikk	23
Årsak til CFS/ME	27
Dyreforsøk	29
VEDLEGG - SØKESTRATEGIER	31

Forord

Folkehelseinstituttet, område for helsetjenester (daværende Nasjonalt kunnskaps-senter for helsetjenesten) fikk høsten 2015 i oppdrag av Norges ME-forening å kart-legge forskning på anstrengelsesutløst sykdomsfølelse/symptomforverring (Post-Exertional Malaise, PEM) ved kronisk utmattelses syndrom CFS/ME. Vi har utført et systematisk litteratursøk, gjennomgått referansene fra søket og sortert relevante referanser i ulike kategorier.

Arbeidet er utført av Ingvild Kirkehei (forskningsbibliotekar, Folkehelseinstituttet) og Lillebeth Larun (seniorforsker, Folkehelseinstituttet).

Kåre Birger Hagen
Fagdirektør

Hege Kornør
Konst. avdelingsdirektør

Ingvild Kirkehei
Prosjektleder

Metode

Litteratursøk

Et systematisk litteratursøk ble utført i februar 2019 i databasene MEDLINE, Embase, PsycINFO, Amed, ISI Web of Science og Epistemonikos. Søket bestod av tekstord (ord i tittel og sammendrag) for *PEM (Post-Exertional Malaise)* eller *PENE (Post-exertional neuroimmune exhaustion)*. Vi søkte også på relaterte begreper som f.eks. *post exercise malaise* og *malaise following exercise*. Søket ble ikke avgrenset til kronisk utmattelsessyndrom CFS/ME, årstall eller studiedesign. Se søkestrategier i vedlegg.

Utvalgelse og sortering av referanser

Referansene ble eksportert til referansehandlingssystemet EndNote hvor Ingvild Kirkehei og Lillebeth Larun hver for seg inkluderte og sorterte referansene. De individuelle sorteringene ble deretter samkjørt, og resultatet vises nedenfor. Hvis en av oss har definert referansen som relevant, er den inkludert i listen.

Vi inkluderte forskning/studier som nevnte PEM/PENE i sammendrag eller tittel og som har studert for eksempel erfaring, forekomst, måleinstrumenter, fysiologi, symptomer eller årsaker. Vi inkluderte studier på PEM uavhengig av diagnose, behandlingsstudier hvor PEM nevnes som utfallsmål og studier på diagnostikk hvor PEM nevnes. Under hver kategori er referansene sortert under oversikter (oversiktsartikler og systematiske oversikter) og primærstudier. Referanser til kommentarer og lederartikler er ekskludert. Siden søket inneholdt andre søkeord enn de presise begrepene PEM/PENE, fikk vi også en del treff på studier som viste seg ikke relevante, f.eks. studier på trening og fysisk form generelt. Totalt 215 referanser ble definert som ikke relevante.

Vi har ikke lest studiene i fulltekst. Mulig relevante referanser bør derfor vurderes nærmere for relevans og metodisk kvalitet før de brukes. Noen referanser kan høre hjemme i flere kategorier, en kategori er da valgt.

Resultat av søk

PEM definisjon

Primærstudier

1. Lindheimer JB, Meyer JD, Stegner AJ, Dougherty RJ, Van Riper SM, Shields M, et al. **Symptom variability following acute exercise in myalgic encephalomyelitis/chronic fatigue syndrome: a perspective on measuring post-exertion malaise.** *Fatigue: Biomedicine, Health and Behavior* 2017;5(2):69-88.
<http://dx.doi.org/10.1080/21641846.2017.1321166>
2. Carroll TJ, Taylor JL, Gandevia SC. **Recovery of central and peripheral neuromuscular fatigue after exercise.** *Journal of Applied Physiology* 2017;122(5):1068-76.
https://www.physiology.org/doi/full/10.1152/jappphysiol.00775.2016?urlver=Z39.88-2003&rfr_id=ori%3Arid%3Acrossref.org&rfr_dat=cr_pub%3Dpubmed&
3. McManimen SL, Sunnquist ML, Jason LA. **Deconstructing post-exertional malaise: An exploratory factor analysis.** *Journal of Health Psychology* 2016:1359105316664139.
<https://dx.doi.org/10.1177/1359105316664139>
4. Clark JE, Fai Ng W, Watson S, Newton JL. **The aetiopathogenesis of fatigue: Unpredictable, complex and persistent.** *British Medical Bulletin* 2016;117(1):139-48.
<http://dx.doi.org/10.1093/bmb/ldv057>
5. Jason LA, Evans M, So S, Scott J, Brown A. **Problems in defining post-exertional malaise.** *Journal of prevention & intervention in the community* 2015;43(1):20-31.
<http://dx.doi.org/10.1080/10852352.2014.973239>
6. Clauw DJ. **Perspectives on Fatigue from the Study of Chronic Fatigue Syndrome and Related Conditions.** *PM and R* 2010;2(5):414-30.
<http://dx.doi.org/10.1016/j.pmrj.2010.04.010>

7. Onishi S. **Markers for fatigue after exercise training.** Japanese Journal of Clinical Sports Medicine 2004;12(2):123-30.

PEM forekomst

Oversikter

1. Brown A, Jason LA. **Meta-analysis investigating post-exertional malaise between patients and controls.** Journal of Health Psychology. 2018 Jul 1. doi: 10.1177/1359105318784161. [Epub ahead of print]
https://journals.sagepub.com/doi/full/10.1177/1359105318784161?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dpubmed
2. Strassheim V, Lambson R, Hackett KL, Newton JL. **What is known about severe and very severe chronic fatigue syndrome? A scoping review.** Fatigue: Biomedicine, Health and Behavior 2017;5(3):167-83.
<https://www.tandfonline.com/doi/abs/10.1080/21641846.2017.1333185?journalCode=rftg20>

Primærstudier

1. ÄYrÄMÖ S, Vilmi N, Mero AA, Piirainen J, Nummela ARI, Pullinen T, et al. **Maturation-related differences in neuromuscular fatigue after a short-term maximal run.** Human Movement 2017;18(3):17-25.
<https://content.sciendo.com/view/journals/humo/18/3/article-p17.xml>
2. McManimen SL, Jason LA. **Post-Exertional Malaise in Patients with ME and CFS with Comorbid Fibromyalgia.** SRL Neurology & Neurosurgery 2017;3(1):22-7.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5464757/>
3. Maness CB, Saini P, Bliwise DL, Olvera V, Rye DB, Trotti L. **Frequency and predictors of systemic exertion intolerance disease/chronic fatigue syndrome among sleep center patients referred for hypersomnolence evaluation.** Sleep 2017;40 (Supplement 1):A243-A4.
https://academic.oup.com/sleep/article/40/suppl_1/A243/3782054
4. LoRusso S, Iyadurai S. **Post-exercise exhaustion in a patient with rapsyn mutation.** Journal of Clinical Neuromuscular Disease 2017;18 (Supplement 1):S6-S7.

5. Nijs J, Van Oosterwijck J, Meeus M, Paul L, Lambrecht L. **Unravelling the nature of post-exertional malaise in chronic fatigue syndrome: An exercise immunology study**. *Physiotherapy (United Kingdom)* 2011;(1):eS885.
<http://dx.doi.org/10.1016/j.physio.2011.04.002>
6. VanNess JM, Stevens SR, Bateman L, Stiles TL, Snell CR. **Postexertional malaise in women with chronic fatigue syndrome**. *Journal of women's health* 2010;19(2):239-44.
<https://www.ncbi.nlm.nih.gov/pubmed/20095909>

PEM erfaring

Primærstudier

1. Jason LA, McManimen SL, Sunnquist M, Holtzman CS. **Patient perceptions of post exertional malaise**. *Fatigue: Biomedicine, Health and Behavior* 2018;6(2):92-105.
<http://dx.doi.org/10.1080/21641846.2018.1453265>
2. Stormorken E, Jason LA, Kirkevold M. **Fatigue in adults with post-infectious fatigue syndrome: a qualitative content analysis**. *BMC Nurs* 2015;14:64.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4662830/>
3. Andersen MM, Permin H, Albrecht F. **Nine-year follow-up of Danish chronic fatigue syndrome (CFS) patients impact on health, social, vocational, and personal lives**. *Journal of Chronic Fatigue Syndrome* 2008;14(2):7-23.
http://dx.doi.org/10.1300/J092v14n02_02

PEM måleinstrumenter

Oversikter

1. Vergauwen K, Huijnen IPJ, Depuydt A, Van Regenmortel J, Meeus M. **Measuring the physical activity level and pattern in daily life in persons with chronic fatigue syndrome/myalgic encephalomyelitis: a systematic review**. *Physical Therapy Reviews* 2017;22(1/2):23-33.
<https://www.tandfonline.com/doi/abs/10.1080/10833196.2017.1300624>

Primærstudier

1. Cotler J, Holtzman C, Dudun C, Jason LA. **A brief questionnaire to assess post-exertional malaise.** Diagnostics 2018; 8(3):66.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6165517/>
2. Jason LA, Holtzman C, Sunnquist M, Cotler J. **The development of an instrument to assess post-exertional malaise in patients with myalgic encephalomyelitis and chronic fatigue syndrome.** Journal of Health Psychology 2018 Okt 24: doi.org/10.1177/1359105318805819
https://journals.sagepub.com/doi/abs/10.1177/1359105318805819?rfr_dat=cr_pub%3Dpubmed&url_ver=Z39.88-2003&rfr_id=ori%3Arid%3Acrossref.org&journalCode=hpqa
3. Stevens S, Snell C, Stevens J, Keller B, VanNess JM. **Cardiopulmonary exercise test methodology for assessing exertion intolerance in myalgic encephalomyelitis/chronic fatigue syndrome.** Frontiers in Pediatrics 2018;6:242.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6131594/>
4. Murdock KW, Wang XS, Shi Q, Cleeland CS, Fagundes CP, Vernon SD. **The utility of patient-reported outcome measures among patients with myalgic encephalomyelitis/chronic fatigue syndrome.** Quality of Life Research 2017;26(4):913-21.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5336422/>
5. Keech A, Sandler CX, Vollmer-Conna U, Cvejic E, Lloyd AR, Barry BK. **Capturing the post-exertional exacerbation of fatigue following physical and cognitive challenge in patients with chronic fatigue syndrome.** Journal of Psychosomatic Research 2015;79(6):537-49.
<https://www.sciencedirect.com/science/article/pii/S0022399915005218?via%3Dihub>
6. Jason LA, Sunnquist M, Brown A, Furst J, Cid M, Farietta J, et al. **Factor analysis of the DePaul Symptom Questionnaire: Identifying core domains.** Journal of Neurology & Neurobiology 2015;1(4).
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4830389/>
7. Evans M, Jason LA. **Effects of time frame on the recall reliability of CFS symptoms.** Evaluation & the health professions 2015;38(3):367-81.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3874064/>
8. Oh SJ, Nagai T, Kizlay F, Kutz S. **One-minute exercise is best for evaluation of post-exercise exhaustion in myasthenia gravis.** Clinical Neurophysiology 2014;1):S301-S2.
<https://onlinelibrary.wiley.com/doi/full/10.1002/mus.24178>

9. Hecimovich MD, Peiffer JJ, Harbaugh AG. **Development and psychometric evaluation of a post exercise exhaustion scale utilising the Rasch measurement model.** *Psychology of Sport & Exercise* 2014;15(6):569-79.
<https://www.sciencedirect.com/science/article/pii/S1469029214000806>
10. Brown AA, Jason LA. **Validating a measure of myalgic encephalomyelitis/chronic fatigue syndrome symptomatology.** *Fatigue: Biomedicine, Health and Behavior* 2014;2(3):132-52.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4871625/>
11. Hawk Hines C, Jason LA, Torres-Harding SR. **Reliability of a chronic fatigue syndrome questionnaire.** *Journal of Chronic Fatigue Syndrome* 2006;13(4):41-66.
https://www.tandfonline.com/doi/abs/10.1300/J092v13n04_05
12. Grant S, Aitchison T, Henderson E, Christie J, Zare S, McMurray J, et al. **A comparison of the reproducibility and the sensitivity to change of visual analogue scales, Borg scales, and Lokert scales in normal subjects during submaximal exercise.** *Chest* 1999;116(5):1208-17.
<https://www.sciencedirect.com/science/article/pii/S0012369215515869?via%3Dihub>

PEM fysiologi

Oversikter

1. Komaroff AL, Sawamura M, Takahashi R, Yamamura T. **Neurologic abnormalities in myalgic encephalomyelitis/chronic fatigue syndrome: A review.** *Brain and Nerve* 2018;70(1):41-54.
<https://www.ncbi.nlm.nih.gov/pubmed/29348374>
2. Blundell S, Ray KK, Buckland M, White PD. **Chronic fatigue syndrome and circulating cytokines: A systematic review.** *Brain, Behavior, and Immunity* 2015;50:186-95.
<http://dx.doi.org/10.1016/j.bbi.2015.07.004>
3. Finsterer J, Mahjoub S. **Fatigue in healthy and diseased individuals.** *American Journal of Hospice and Palliative Medicine* 2014;31(5):562-75.
https://journals.sagepub.com/doi/abs/10.1177/1049909113494748?rfr_dat=cr_pub%3Dpubmed&url_ver=Z39.88-2003&rfr_id=ori%3Arid%3Acrossref.org&journalCode=ajhb

4. Mancuso M, Angelini C, Bertini E, Carelli V, Comi G, Minetti C, et al. **Fatigue and exercise intolerance in mitochondrial diseases. Literature revision and experience of the Italian Network of mitochondrial diseases.** *Neuromuscular Disorders* 2012;22(Suppl 3):S226-9.
[https://www.nmd-journal.com/article/S0960-8966\(12\)00621-9/abstract](https://www.nmd-journal.com/article/S0960-8966(12)00621-9/abstract)
5. Nijs J, Aelbrecht S, Meeus M, Van Oosterwijck J, Zinzen E, Clarys P. **Tired of being inactive: Physical activity, physiological exercise capacity, and muscle strength in patients with chronic fatigue syndrome.** *Physiotherapy (United Kingdom)* 2011;1:eS884-eS5.
<http://dx.doi.org/10.1016/j.physio.2011.04.002>

Primærstudier

1. Nguyen T, Staines D, Johnston S, Marshall-Gradisnik S. **Reduced glycolytic reserve in isolated natural killer cells from Myalgic encephalomyelitis/chronic fatigue syndrome patients: A preliminary investigation.** *Asian Pac J Allergy Immunol.* 2018 Jul 8. doi: 10.12932/AP-011117-0188. [Epub ahead of print]
<https://www.ncbi.nlm.nih.gov/pubmed/29981562>
2. Oosterwijck JV, Marusic U, De Wandele I, Paul L, Meeus M, Moorkens G, et al. **The Role of autonomic function in exercise-induced endogenous analgesia: A case-control study in myalgic encephalomyelitis/chronic fatigue syndrome and healthy people.** *Pain Physician* 2017;20(3):E389-E99.
<https://www.painphysicianjournal.com/linkout?issn=1533-3159&vol=20&page=E389>
3. McManimen SL, Jason LA. **Differences in ME and CFS symptomology in patients with normal and abnormal exercise test results.** *International Journal of Neurology & Neurotherapy* 2017;4(1).
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5510614/>
4. Cvejic E, Sandler CX, Keech A, Barry BK, Lloyd AR, Vollmer-Conna U. **Autonomic nervous system function, activity patterns, and sleep after physical or cognitive challenge in people with chronic fatigue syndrome.** *Journal of Psychosomatic Research* 2017;103:91-4.
<http://dx.doi.org/10.1016/j.jpsychores.2017.10.010>
5. Cook DB, Light AR, Light KC, Broderick G, Shields MR, Dougherty RJ, et al. **Neural consequences of post-exertion malaise in Myalgic Encephalomyelitis/Chronic Fatigue Syndrome.** *Brain, Behavior, and Immunity* 2017;62:87-99.
<http://dx.doi.org/10.1016/j.bbi.2017.02.009>
6. Collett J, Meaney A, Howells K, Dawes H. **Acute recovery from exercise in people with multiple sclerosis: an exploratory study on the**

effect of exercise intensities. Disability and rehabilitation 2017;39(6):551-8.

<http://dx.doi.org/10.3109/09638288.2016.1152604>

7. Clark LV, Buckland M, Murphy G, Taylor N, Vleck V, Mein C, et al. **Cytokine responses to exercise and activity in patients with chronic fatigue syndrome: case-control study.** Clinical and Experimental Immunology 2017;190(3):360-71.
<http://dx.doi.org/10.1111/cei.13023>
8. Baraniuk JN, Shivapurkar N. **Exercise - induced changes in cerebrospinal fluid miRNAs in Gulf War Illness, Chronic Fatigue Syndrome and sedentary control subjects.**[Erratum appears in Sci Rep. 2018 Apr 19;8(1):6455; PMID: 29674668]. Scientific Reports 2017;7(1):15338.
<https://dx.doi.org/10.1038/s41598-017-15383-9>
9. Shukla SK, Cook D, Meyer J, Vernon SD, Le T, Clevidence D, et al. **Changes in gut and plasma Microbiome following exercise challenge in Myalgic encephalomyelitis/chronic fatigue syndrome (ME/CFS).** PLoS ONE 2015;10 (12) (no pagination)(e0145453).
<http://dx.doi.org/10.1371/journal.pone.0145453>
10. Lengert N, Drossel B. **In silico analysis of exercise intolerance in myalgic encephalomyelitis/chronic fatigue syndrome.** Biophysical Chemistry 2015;202:21-31.
<http://dx.doi.org/10.1016/j.bpc.2015.03.009>
11. Brown AE, Jones DE, Walker M, Newton JL. **Abnormalities of AMPK activation and glucose uptake in cultured skeletal muscle cells from individuals with chronic fatigue syndrome.** PLoS ONE 2015;10 (4) (no pagination)(e0122982).
<http://dx.doi.org/10.1371/journal.pone.0122982>
12. Anderson L, Baker L, Schroeder ET. **Estrogen source influences muscle soreness and recovery in young women.** FASEB Journal Conference: Experimental Biology 2015;29(Meeting Abstracts).
https://www.fasebj.org/doi/abs/10.1096/fasebj.29.1_supplement.675.8
13. Smith W, Klein J, Ndirangu D, Chen Y, Falvo M. **Exercise tolerance in Gulf War veterans and relationship to deployment exposures.** FASEB Journal Conference: Experimental Biology 2014;28(1 SUPPL. 1).
https://www.fasebj.org/doi/abs/10.1096/fasebj.28.1_supplement.884.22
14. Papathanasiou ES, Zamba-Papanicolaou E. **The exhaustibility of Lambert-Eaton myasthenic syndrome.** Clinical Neurophysiology 2014;125(2):220.
<http://dx.doi.org/10.1016/j.clinph.2013.09.022>

15. Oh SJ, Hatanaka Y, Ito E, Nagai T. **Post-exercise exhaustion in Lambert-Eaton myasthenic syndrome.** *Clinical Neurophysiology* 2014;125(2):411-4.
<http://dx.doi.org/10.1016/j.clinph.2013.08.028>
16. Li M, Xu C, Yao W, Mahan CM, Kang HK, Sandbrink F, et al. **Self-reported post-exertional fatigue in gulf war veterans: Roles of autonomic testing.** *Frontiers in Neuroscience* 2014;(8 JAN) (no pagination)(269).
<http://dx.doi.org/10.3389/fnins.2013.00269>
17. Hall DL, Lattie EG, Antoni MH, Fletcher MA, Czaja S, Perdomo D, et al. **Stress management skills, cortisol awakening response, and post-exertional malaise in Chronic Fatigue Syndrome.** *Psychoneuroendocrinology* 2014;49:26-31.
<http://dx.doi.org/10.1016/j.psyneuen.2014.06.021>
18. Srikuea R, Symons TB, Long DE, Lee JD, Shang Y, Chomentowski PJ, et al. **Association of fibromyalgia with altered skeletal muscle characteristics which may contribute to postexertional fatigue in postmenopausal women.** *Arthritis and Rheumatism* 2013;65(2):519-28.
<http://dx.doi.org/10.1002/art.37763>
19. Meyer JD, Light AR, Shukla SK, Clevidence D, Yale S, Stegner AJ, et al. **Post-exertion malaise in chronic fatigue syndrome: Symptoms and gene expression.** *Fatigue: Biomedicine, Health and Behavior* 2013;1(4):190-209.
<http://dx.doi.org/10.1080/21641846.2013.838444>
20. Lattie EG, Antoni MH, Czaja S, Perdomo D, Fletcher MA, Klimas N, et al. **Post-exertional malaise symptoms, salivary cortisol, and coping self-efficacy in patients with me/cfs.** *Psychosomatic Medicine* 2013;75(3):A66-A7.
<http://dx.doi.org/10.1097/01.psy.0000429452.16135.1b>
21. Meyer J, Light A, Stegner A, Shukla S, Cook D. **Gene expression and symptom changes following a maximal exercise test in chronic fatigue syndrome.** *Journal of Pain* 2012;1):S42.
<http://dx.doi.org/10.1016/j.jpain.2012.01.176>
22. Clark L, Buckland M, Vleck V, White P. **Cytokine responses to exercise and activity in patients with chronic fatigue syndrome: Proof of principle study.** *Journal of Psychosomatic Research* 2012;72 (6):475.
<http://dx.doi.org/10.1016/j.jpsychores.2012.03.004>
23. Chu L, Friedberg F, Friedman KJ, Littrell N, Stevens S, Vallings R. **Exercise and chronic fatigue syndrome: Maximize function, minimize post-**

exertional malaise. European Journal of Clinical Investigation 2012;42(12):1362-
<http://dx.doi.org/10.1111/j.1365-2362.2012.02723.x>

24. Van Oosterwijck J, Nijs J, Meeus M, Lefever I, Huybrechts L, Lambrecht L, et al. **Pain inhibition and postexertional malaise in myalgic encephalomyelitis/chronic fatigue syndrome [ME/CFS]: An experimental study.** Physiotherapy (United Kingdom) 2011;1):eS1293.
<http://dx.doi.org/10.1016/j.physio.2011.04.002>
25. Demura S, Morishita K, Yamada T, Yamaji S, Komatsu M. **Effect of L-ornithine hydrochloride ingestion on intermittent maximal anaerobic cycle ergometer performance and fatigue recovery after exercise.** European Journal of Applied Physiology 2011;111(11):2837-43.
<https://link.springer.com/article/10.1007%2Fs00421-011-1896-1>
26. Nijs J, Van Oosterwijck J, Meeus M, Lambrecht L, Metzger K, Fremont M, et al. **Unravelling the nature of postexertional malaise in myalgic encephalomyelitis/chronic fatigue syndrome: The role of elastase, complement C4a and interleukin-1beta.** Journal of Internal Medicine 2010;267(4):418-35.
<http://dx.doi.org/10.1111/j.1365-2796.2009.02178.x>
27. Hedayatpour N, Falla D, Arendt-Nielsen L, Farina D. **Effect of delayed-onset muscle soreness on muscle recovery after a fatiguing isometric contraction.** Scandinavian Journal of Medicine & Science in Sports 2010;20(1):145-53.
<https://onlinelibrary.wiley.com/doi/full/10.1111/j.1600-0838.2008.00866.x>
28. Sorensen B, Jones JF, Vernon SD, Rajeevan MS. **Transcriptional control of complement activation in an exercise model of chronic fatigue syndrome.** Molecular Medicine 2009;15(1-2):34-42.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2583111/>
29. Heydemann A, McNally E. **NO more muscle fatigue.** Journal of Clinical Investigation 2009;119(3):448-50.
<http://dx.doi.org/10.1172/JCI38618>
30. Carmichael MD, Davis JM, Murphy EA, Brown AS, Carson JA, Mayer EP, et al. **Role of brain IL-1beta on fatigue after exercise-induced muscle damage.** American Journal of Physiology - Regulatory Integrative and Comparative Physiology 2006;291(5):R1344-R8.
<http://dx.doi.org/10.1152/ajpregu.00141.2006>
31. Whistler T, Jones J, Unger E, Vernon S. **Exercise responsive genes measured in peripheral blood of women with Chronic Fatigue Syndrome and matched control subjects.** BMC Physiol 2005;5(1):5.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1079885/>

32. Thibault G. **Understanding the role of lactic acid in cycling - Is it really that bad?** Performance Conditioning Cycling 2005;11(3):1-4.
33. Kennedy G, Spence VA, McLaren M, Hill A, Underwood C, Belch JJF. **Oxidative stress levels are raised in chronic fatigue syndrome and are associated with clinical symptoms.** Free Radical Biology and Medicine 2005;39(5):584-9.
<http://dx.doi.org/10.1016/j.freeradbiomed.2005.04.020>
34. Jammes Y, Steinberg JG, Mambrini O, Bregeon F, Delliaux S. **Chronic fatigue syndrome: Assessment of increased oxidative stress and altered muscle excitability in response to incremental exercise.** Journal of Internal Medicine 2005;257(3):299-310.
<http://dx.doi.org/10.1111/j.1365-2796.2005.01452.x>
35. White PD, Nye KE, Pinching AJ, Yap TM, Power N, Vleck V, et al. **Immunological changes after both exercise and activity in chronic fatigue syndrome: A pilot study.** Journal of Chronic Fatigue Syndrome 2004;12(2):51-66.
http://dx.doi.org/10.1300/J092v12n02_06
36. Ottenweller JE, Sisto SA, McCarty RC, Natelson BH. **Hormonal responses to exercise in chronic fatigue syndrome.** Neuropsychobiology 2001;43(1):34-41.
<http://dx.doi.org/10.1159/000054863>
37. Davis J, Bailey S. **Possible mechanisms of central nervous system fatigue during exercise.** Medicine and Science in Sports and Exercise 1997;29(1):45-57.
<https://insights.ovid.com/pubmed?pmid=9000155>
38. Nielsen HB, Secher NH, Kappel M, Hanel B, Pedersen BK. **Lymphocyte, NK and LAK cell responses to maximal exercise. / Reponses des lymphocytes, des cellules NK et LAK a l' effort maximal.** International Journal of Sports Medicine 1996;17(1):60-5.
<https://www.thieme-connect.com/products/ejournals/abstract/10.1055/s-2007-972809>
39. Kuratsune H, Yamaguti K, Takahashi M, Tagawa S, Machii T, Kitani T. **Abnormal cellular carnitine metabolism in chronic fatigue syndrome.** EOS Rivista di Immunologia ed Immunofarmacologia 1995;15(1-2):40-4.
40. Lloyd A, Gandevia S, Brockman A, Hales J, Wakefield D. **Cytokine production and fatigue in patients with chronic fatigue syndrome and healthy control subjects in response to exercise.** Clinical

Infectious Diseases 1994;18(SUPPL. 1):S142-S6.
<https://www.ncbi.nlm.nih.gov/pubmed/8148442>

41. Matlina EA, Vasilev VN, Galimov SD. **Catecholamines, their precursors and metabolites in human fatigue after exertion.** Voprosy Meditsinskoi Khimii 1977;3:369-75.
<https://www.ncbi.nlm.nih.gov/pubmed/888403>
42. Van Oosterwijck J, Nijs J, Meeus M, Van Loo M, Paul L. **Lack of endogenous pain inhibition during exercise in people with chronic whiplash associated disorders: An experimental study.** Journal of Pain.
<http://dx.doi.org/10.1016/j.jpain.2011.11.006>

PEM sirkulasjon

Primærstudier

1. VanNess JM, Snell CR, Stevens SR. **Diminished cardiopulmonary capacity during post-exertional malaise.** Journal of Chronic Fatigue Syndrome 2008;14(2):77-85.
http://dx.doi.org/10.1300/J092v14n02_07
2. Saey D, Michaud A, Couillard A, Cote CH, Mador MJ, LeBlanc P, et al. **Contractile fatigue, muscle morphometry, and blood lactate in chronic obstructive pulmonary disease.** American Journal of Respiratory and Critical Care Medicine 2005;171(10):1109-15.
<http://dx.doi.org/10.1164/rccm.200408-1005OC>
3. Peckerman A, Lamanca JJ, Dahl KA, Chemitiganti R, Qureishi B, Natelson BH. **Abnormal impedance cardiography predicts symptom severity in chronic fatigue syndrome.** American Journal of the Medical Sciences 2003;326(2):55-60.
<http://dx.doi.org/10.1097/00000441-200308000-00001>
4. Farquhar W, Hunt B, Taylor J, Darling S, Freeman R. **Blood volume and its relation to peak O₂ consumption and physical activity in patients with chronic fatigue.** Am J Physiol Heart Circ Physiol 2002;282(1):H66-71.
https://www.physiology.org/doi/full/10.1152/ajpheart.2002.282.1.H66?url_ver=Z39.88-2003&rfr_id=ori%3Arid%3Acrossref.org&rfr_dat=cr_pub%3Dpubmed&
5. Karas B, Grubb B, Boehm K, Kip K. **The postural orthostatic tachycardia syndrome: a potentially treatable cause of chronic**

fatigue, exercise intolerance, and cognitive impairment in adolescents. Pacing Clin Electrophysiol 2000;23(3):344-51.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1540-8159.2000.tb06760.x?sid=nlm%3Apubmed&>

6. Rowe PC, Bou-Holaigah I, Kan JS, Calkins H. **Is neurally mediated hypotension an unrecognised cause of chronic fatigue?** Lancet 1995;345(8950):623-4.
<http://dx.doi.org/10.1016/S0140-6736%2895%2990525-1>

PEM symptombeskrivelse

Oversikter

1. Jason LA, Zinn ML, Zinn MA. **Myalgic encephalomyelitis: Symptoms and biomarkers.** Current Neuropharmacology 2015;13(5):701-34.
<http://dx.doi.org/10.2174/1570159X13666150928105725>

Primærstudier

1. Chu L, Valencia IJ, Garvert DW, Montoya JG. **Deconstructing post-exertional malaise in myalgic encephalomyelitis/ chronic fatigue syndrome: A patient-centered, cross-sectional survey.** PLoS ONE 2018;13(6):e0197811.
<http://dx.doi.org/10.1371/journal.pone.0197811>
2. Collin SM, Heron J, Nikolaus S, Knoop H, Crawley E. **Chronic fatigue syndrome (CFS/ME) symptom-based phenotypes and 1-year treatment outcomes in two clinical cohorts of adult patients in the UK and The Netherlands.** Journal of Psychosomatic Research 2018;104:29-34.
<https://www.sciencedirect.com/science/article/pii/S0022399917308413?via%3Dihub>
3. Skurvydas A, Verbickas V, Eimantas N, Baranauskiene N, Cernych M, Skrodeniene E, et al. **Psychological and physiological biomarkers of neuromuscular fatigue after two bouts of sprint interval exercise.** Frontiers in Psychology Vol 8 2017, ArtID 2282 2017;8.
<http://dx.doi.org/10.3389/fpsyg.2017.02282>
4. Arroll MA, Attree EA, O'Leary JM, Dancey CP. **The delayed fatigue effect in myalgic encephalomyelitis/chronic fatigue syndrome (ME/CFS).** Fatigue: Biomedicine, Health and Behavior 2014;2(2):57-63.
<http://dx.doi.org/10.1080/21641846.2014.892755>

5. Rayhan RU, Stevens BW, Raksit MP, Ripple JA, Timbol CR, Adewuyi O, et al. **Exercise challenge in Gulf War Illness reveals two subgroups with altered brain structure and function.** PLoS ONE 2013;8 (6) (no pagination)(e63903).
<http://dx.doi.org/10.1371/journal.pone.0063903>
6. Oh SJ, Kizlay F, Hatanaka Y. **Comparison of post-exercise exhaustion (PEE) in myasthenia gravis (MG) and Lambert-Eaton myasthenic syndrome (LEMS).** Clinical Neurophysiology 2010;1):S311.
<http://dx.doi.org/10.1016/S1388-2457%2810%2961269-2>
7. Nijs J, Van Oosterwijck J, Meeus M. **An evidence-based model of chronic widespread pain in chronic fatigue syndrome.** European Journal of Pain 2009;1):S53.
<http://dx.doi.org/10.1016/S1090-3801%2809%2960155-5>
8. Skinner JS. **Chronic fatigue syndrome: Matching exercise to symptom fluctuations.** Physician and Sportsmedicine 2004;32(2):28-32.
<https://www.ncbi.nlm.nih.gov/pubmed/20086399>
9. Adamsen L, Midtgaard J, Andersen C, Quist M, Moeller T, Roerth M. **Transforming the nature of fatigue through exercise: qualitative findings from a multidimensional exercise programme in cancer patients undergoing chemotherapy.** European Journal of Cancer Care 2004;13(4):362-70.
<https://onlinelibrary.wiley.com/doi/full/10.1111/j.1365-2354.2004.00502.x?sid=nlm%3Apubmed>
10. McCully K. **Functional capacity evaluation. I: Handbook of chronic fatigue syndrome.** Hoboken, NJ: John Wiley & Sons Inc; US; 2003. s. 384-400.

PEM årsak

Primærstudier

1. van Oosterwijck J, Marusic U, de Wandele I, Paul L, Meeus M, Moorkens G, et al. **The role of autonomic function in exercise induced endogenous analgesia: A case-control study in myalgic encephalomyelitis/chronic fatigue syndrome and healthy people.** Pain Physician 2017;20(3):E389-E99.
<https://www.painphysicianjournal.com/linkout?issn=1533-3159&vol=20&page=E389>
2. Benson L, Mushtaq S. **Dietary supplementation with n-3 fatty acids (n-3 FA) for 4 weeks reduces post-exercise fatigue and delayed**

onset muscle soreness (DOMS) in trained male athletes.

Proceedings of the Nutrition Society Conference: Summer Meeting The Future of Animal Products in the Human Diet: Health and Environmental Concerns United Kingdom 2015;74(OCE5).

<http://dx.doi.org/10.1017/S0029665115003274>

3. Staines DR, Brenu EW, Johnston S, Marshall-Gradisnik S. **Vasoactive neuropeptides in chronic fatigue syndrome/myalgic encephalomyelitis (CFS/ME): Possible pathomechanisms in a human disease.** Journal of Molecular Neuroscience 2013;1):S185.
<http://dx.doi.org/10.1007/s12031-013-0105-6>
4. Nijs J, Van Cauwenbergh D, De Kooning M, Ickmans K. **Time-contingent pacing and exercise therapy accounting for postexertional malaise and central sensitization in chronic fatigue (central sensitivity) syndrome.** European Journal of Clinical Investigation 2012;42(12):1363-5.
<http://dx.doi.org/10.1111/j.1365-2362.2012.02722.x>
5. Nijs J, Meeus M, Van Oosterwijck J, Ickmans K, Van Eupen I, Kos D. **Tired of being inactive: CNS dysfunctions explain exercise intolerance in chronic fatigue syndrome.** Neuroscience Letters 2011;(1):e14.
<http://dx.doi.org/10.1016/j.neulet.2011.05.103>
6. Meeus M, Van Eupen I, Van Baarle E, De Boeck V, Luyckx A, Kos D, et al. **Symptom fluctuations and daily physical activity in patients with chronic fatigue syndrome: A case control study.** Physiotherapy (United Kingdom) 2011;(1):eS793.
<http://dx.doi.org/10.1016/j.physio.2011.04.002>
7. Van Oosterwijck J, Nijs J, Meeus M, Lefever I, Huybrechts L, Lambrecht L, et al. **Pain inhibition and postexertional malaise in myalgic encephalomyelitis/ chronic fatigue syndrome: An experimental study.** Journal of Internal Medicine 2010;268(3):265-78.
<http://dx.doi.org/10.1111/j.1365-2796.2010.02228.x>
8. Robson-Ansley P, Barwood M, Canavan J, Hack S, Eglin C, Davey S, et al. **The effect of repeated endurance exercise on IL-6 and sIL-6R and their relationship with sensations of fatigue at rest.** Cytokine 2009;45(2):111-6.
<http://dx.doi.org/10.1016/j.cyto.2008.11.006>
9. Ament W, Verkerke G. **Exercise or fatigue.** Sports Medicine (Auckland) 2009;39(5):389-422.
<https://link.springer.com/article/10.2165%2F00007256-200939050-00005>
10. Nijs J, Meeus M, De Meirleir K. **Chronic musculoskeletal pain in chronic fatigue syndrome: Recent developments and therapeutic implications.** Manual Therapy 2006;11(3):187-91.

<https://www.sciencedirect.com/science/article/pii/S1356689X06000555?via%3Dihub>

11. Yamamoto T, Castell LM, Botella J, Powell H, Hall GM, Young A, et al. **Changes in the albumin binding of tryptophan during postoperative recovery: A possible link with central fatigue?** Brain Research Bulletin 1997;43(1):43-6.
<http://dx.doi.org/10.1016/S0361-9230%2896%2900344-9>
12. Kuratsune H, Yamaguti K, Takahashi M, Misaki H, Tagawa S, Kitani T. **Acylcarnitine deficiency in chronic fatigue syndrome.** Clinical Infectious Diseases 1994;18(SUPPL. 1):S62-S7.
<https://www.ncbi.nlm.nih.gov/pubmed/8148455>
13. Kuratsune H, Yamaguti K, Hattori H, Tazawa H, Takahashi M, Yamanishi K, et al. **Symptoms, signs and laboratory findings in patients with chronic fatigue syndrome. [Japanese].** Nippon rinsho 1992;Japanese journal of clinical medicine. 50(11):2665-72.

Behandling av CFS/ME med PEM som utfallsmål

Oversikter

1. Hurley M, Dickson K, Hallett R, Grant R, Hauari H, Walsh N, et al. **Exercise interventions and patient beliefs for people with hip, knee or hip and knee osteoarthritis: a mixed methods review.** Cochrane Database of Systematic Reviews [Internet]. 2018;(4).
<https://www.cochranelibrary.com/cdsr/doi/10.1002/14651858.CD010842.pub2/full>
2. Hill K, Cavalheri V, Mathur S, Roig M, Janaudis-Ferreira T, Robles P, et al. **Neuromuscular electrostimulation for adults with chronic obstructive pulmonary disease.** Cochrane Database of Systematic Reviews [Internet]. 2018;(5).
<http://cochranelibrary-wiley.com/doi/10.1002/14651858.CD010821.pub2/abstract>
3. Bested AC, Marshall LM. **Review of Myalgic Encephalomyelitis/Chronic Fatigue Syndrome: an evidence-based approach to diagnosis and management by clinicians.** Reviews on environmental health 2015;30(4):223-49.
<http://dx.doi.org/10.1515/reveh-2015-0026>

4. Nijs J, Nees A, Paul L, De Kooning M, Ickmans K, Meeus M, et al. **Altered immune response to exercise in patients with chronic fatigue syndrome/myalgic encephalomyelitis: A systematic literature review.** Exercise Immunology Review 2014;20:94-116.
<https://www.ncbi.nlm.nih.gov/pubmed/24974723>
5. Dreiling D. **Fatigue and exercise.** Home Health Care Management and Practice 2009;22(1):34-9.
<https://journals.sagepub.com/doi/abs/10.1177/1084822309340302>
6. Yancey JR, Thomas SM. **Chronic fatigue syndrome: Diagnosis and treatment.** American Family Physician 2012;86(8):741-6.
7. Larun L, Malterud K. **Treningsbehandling ved kronisk utmattelsessyndrom.** Tidsskr Nor Laegeforen 2011;131(3):231-6.
<https://dx.doi.org/10.4045/tidsskr.09.1475>
8. Twisk FNM, Maes M. **A review on cognitive behavioral therapy (CBT) and graded exercise therapy (GET) in myalgic encephalomyelitis (ME) / chronic fatigue syndrome (CFS): CBT/GET is not only ineffective and not evidence-based, but also potentially harmful for many patients with ME/CFS.** Neuroendocrinology Letters 2009;30(3):284-99.
<https://www.ncbi.nlm.nih.gov/pubmed/19855350>
9. Price JR, Mitchell E, Tidy E, Hunot V. **Cognitive behaviour therapy for chronic fatigue syndrome in adults.** Cochrane Database of Systematic Reviews [Internet]. 2008;(3).
<http://cochranelibrary-wiley.com/doi/10.1002/14651858.CD001027.pub2/abstract>

Primærstudier

1. Deftereos SN, Vernon SD, Persidis A. **Current therapeutic strategies for myalgic encephalomyelitis/chronic fatigue syndrome: results of an online survey.** Fatigue: Biomedicine, Health and Behavior 2016;4(1):39-51.
<http://dx.doi.org/10.1080/21641846.2015.1126025>
2. Hall DL, Lattie EG, Milrad SF, Czaja S, Fletcher MA, Klimas N, et al. **Telephone-administered versus live group cognitive behavioral stress management for adults with CFS.** Journal of Psychosomatic Research 2017;93:41-7.
<https://www.sciencedirect.com/science/article/pii/S0022399916305669>

3. Miller RR, Reid, Mattman A, Yamabayashi C, Steiner T, Parker S, et al. **Submaximal exercise testing with near-infrared spectroscopy in Myalgic Encephalomyelitis/Chronic Fatigue Syndrome patients compared to healthy controls: A case-control study.** Journal of Translational Medicine 2015;13 (1):159.
<http://dx.doi.org/10.1186/s12967-015-0527-8>
4. Ellithorpe R, Settineri R, Ellithorpe T, Nicolson G. **Nutrient supplement enhances natural killer cell function in women with chronic fatigue syndrome and fibromyalgia: Preliminary report.** Townsend Letter for Doctors and Patients 2015;388:60-2.
5. **Prevention of post-exercise muscle fatigue and effect on exercise training in severe patients with COPD.**
<https://clinicaltrials.gov/show/nct02506504> [Internet]. Posted July 23 2015. Last update July 4 2018.
<https://clinicaltrials.gov/ct2/show/NCT02506504>
6. Antoni MH, Lattie E, Czaja S, Fletcher M, Dolores P, Nair S, et al. **Remote-delivered vs. live group-based cognitive behavioral stress management in persons with CFS/ME: Effects on stress and symptoms.** Psychosomatic Medicine 2014;76 (3):A-33.
<http://dx.doi.org/10.1097/PSY.0000000000000057>
7. Werker CL, Nijhof SL, Van De Putte EM. **Clinical Practice: Chronic fatigue syndrome.** European Journal of Pediatrics 2013;172(10):1293-8.
<http://dx.doi.org/10.1007/s00431-013-2058-8>
8. Brown AA, Evans MA, Jason LA. **Examining the energy envelope and associated symptom patterns in chronic fatigue syndrome: Does coping matter?** Chronic Illness 2013;9(4):302-11.
<http://dx.doi.org/10.1177/1742395313478220>
9. Goudsmit EM, Nijs J, Jason LA, Wallman KE. **Pacing as a strategy to improve energy management in myalgic encephalomyelitis/chronic fatigue syndrome: a consensus document.** Disability & Rehabilitation 2012;34(13):1140-7.
<https://www.tandfonline.com/doi/abs/10.3109/09638288.2011.635746>
10. **A pilot study of amygdala retraining program in patients with chronic fatigue syndrome, chronic fatigue and fibromyalgia.**
Posted January 12 2010, Last Update Posted May 3 2012
<https://clinicaltrials.gov/ct2/show/NCT01046370>
11. Puetz TW, Flowers SS, O'Connor PJ. **A randomized controlled trial of the effect of aerobic exercise training on feelings of energy and fatigue in sedentary young adults with persistent fatigue.**

Psychotherapy and Psychosomatics 2008;77(3):167-74.

<http://dx.doi.org/10.1159/000116610>

12. Amsterdam JD, Shults J, Rutherford N. **Open-label study of s-citalopram therapy of chronic fatigue syndrome and co-morbid major depressive disorder.** Progress in Neuro-Psychopharmacology and Biological Psychiatry 2008;32(1):100-6.
<http://dx.doi.org/10.1016/j.pnpbp.2007.07.019>
13. Nijs J, Almond F, De Becker P, Steven T, Lorna P. **Can exercise limits prevent post-exertional malaise in chronic fatigue syndrome? An uncontrolled clinical trial.** Clinical Rehabilitation 2008;22(5):426-35.
<https://journals.sagepub.com/doi/abs/10.1177/0269215507084410>
14. Bradley LA, Alarcon GS, Cianfrini LR, McKendree-Smith NL. **Fibromyalgia and Chronic Fatigue Syndrome. I: Handbook of primary care psychology.** New York, NY: Oxford University Press; US; 2004. s. 345-67.
15. Whiteside A, Hansen S, Chaudhuri A. **Exercise lowers pain threshold in chronic fatigue syndrome.** Pain 2004;109(3):497-9.
<http://dx.doi.org/10.1016/j.pain.2004.02.029>
16. Snell CR, VanNess JM, Stevens SR, Phippen SG, Dempsey WLIV. **Exercise therapy. I: Handbook of chronic fatigue syndrome.** Hoboken, NJ: John Wiley & Sons Inc; US; 2003. s. 561-79.
17. Liu L, Wang J, Li T, Xu H, Yang G. **The effect of steaming-washing preparation made from Chinese herbs on physical muscle strength following exercise. [Chinese].** Chinese Journal of Clinical Rehabilitation 2003;7(11):1667-8.
18. Kakumanu SS, Mende CN, Lehman EB, Hughes K, Craig TJ. **Effect of topical nasal corticosteroids on patients with chronic fatigue syndrome and rhinitis.** Journal of the American Osteopathic Association 2003;103(9):423-7.
<http://jaoa.org/article.aspx?articleid=2092990>
19. Evengård B, Klimas N. **Chronic fatigue syndrome: Probable pathogenesis and possible treatments.** Drugs 2002;62(17):2433-46.
<https://link.springer.com/article/10.2165%2F00003495-200262170-00003>
20. Brouwers F, Van DWS, Bleijenberg G, Van DZL, Van DMJ. **The effect of a polynutrient supplement on fatigue and physical activity of patients with chronic fatigue syndrome: a double-blind randomized controlled trial.** Qjm 2002;95(10):677-83.
<https://www.ncbi.nlm.nih.gov/pubmed/12324640>

21. Schwartz A, Mori M, Gao R, Nail L, King M. **Exercise reduces daily fatigue in women with breast cancer receiving chemotherapy.** *Medicine and Science in Sports and Exercise* 2001;33(5):718-23.
<https://insights.ovid.com/pubmed?pmid=11323538>
22. Goudsmit E. **Treating chronic fatigue with exercise.** *British Medical Journal* 1998;317(7158):599.
<https://www.bmj.com/content/317/7158/599.2>

Diagnostikk

Primærstudier

1. Maroti D, Bileviciute-Ljungar I. **Similarities and differences between health-related quality of life in patients with exhaustion syndrome and chronic fatigue syndrome.** *Fatigue: Biomedicine, Health and Behavior* 2018;6(4):208-219.
<https://www.tandfonline.com/doi/abs/10.1080/21641846.2018.1515583>
2. Morrison KR et al. **Is fatigue common in inflammatory bowel disease and is it a separate entity?** *United European Gastroenterology Journal* 2018;6(8 Supplement):A433-A434.
3. Twisk, F. **Myalgic Encephalomyelitis or What? The International Consensus Criteria.** *Diagnostics* 2018;9(1): 20.
<https://www.mdpi.com/2075-4418/9/1/1>
4. Moneghetti KJ, Skhiri M, Contrepolis K, Kobayashi Y, Maecker H, Davis M, et al. **Value of Circulating Cytokine Profiling During Submaximal Exercise Testing in Myalgic Encephalomyelitis/Chronic Fatigue Syndrome.** *Scientific Reports* 2018;8(1):2779.
<https://dx.doi.org/10.1038/s41598-018-20941-w>
5. De Vega WC, Erdman L, Vernon SD, Goldenberg A, McGowan PO. **Integration of DNA methylation & health scores identifies subtypes in myalgic encephalomyelitis/chronic fatigue syndrome.** *Epigenomics* 2018;10(5):539-57.
<http://dx.doi.org/10.2217/epi-2017-0150>
6. Pendergrast T, Brown A, Sunnquist M, Jantke R, Newton JL, Strand EB, et al. **Housebound versus nonhousebound patients with myalgic encephalomyelitis and chronic fatigue syndrome.** *Chronic Illness* 2016;12(4):292-307.
<http://dx.doi.org/10.1177/1742395316644770>

7. Jason LA, McManimen S, Sunnquist M, Brown A, Furst J, Newton JL, et al. **Case definitions integrating empiric and consensus perspectives.** *Fatigue: Biomedicine, Health and Behavior* 2016;4(1):1-23.
<http://dx.doi.org/10.1080/21641846.2015.1124520>
8. Giloteaux L, Hanson MR, Keller BA. **A pair of identical twins discordant for myalgic encephalomyelitis/chronic fatigue syndrome differ in physiological parameters and gut microbiome composition.** *American Journal of Case Reports* 2016;17:720-9.
<http://dx.doi.org/10.12659/AJCR.900314>
9. Collin SM, Nikolaus S, Heron J, Knoop H, White PD, Crawley E. **Chronic fatigue syndrome (CFS) symptom-based phenotypes in two clinical cohorts of adult patients in the UK and The Netherlands.** *Journal of Psychosomatic Research* 2016;81:14-23.
<http://dx.doi.org/10.1016/j.jpsychores.2015.12.006>
10. Twisk FN. **Accurate diagnosis of myalgic encephalomyelitis and chronic fatigue syndrome based upon objective test methods for characteristic symptoms.** *World Journal of Methodology* 2015;5(2):68-87.
<https://dx.doi.org/10.5662/wjm.v5.i2.68>
11. Rowe K. **Chronic fatigue syndrome in young people: How do we differentiate the sleep disturbance that is part of the condition from sleep disorders needing referral to a sleep specialist?** *Sleep and Biological Rhythms* 2015;1):97-8.
<http://dx.doi.org/10.1111/sbr.12132>
12. McManimen SL, Jason LA, Williams YJ. **Variability in symptoms complicates utility of case definitions.** *Fatigue: Biomedicine, Health and Behavior* 2015;3(3):164-72.
<http://dx.doi.org/10.1080/21641846.2015.1041336>
13. Maes M. **A new case definition of Neuro-Inflammatory and Oxidative Fatigue (NIOF), a neuroprogressive disorder, formerly known as chronic fatigue syndrome or Myalgic Encephalomyelitis: Results of multivariate pattern recognition methods and external validation by neuro-immune biomarkers.** *Neuroendocrinology Letters* 2015;36(4):320-9.
14. Jason LA, Sunnquist M, Brown A, Newton JL, Strand EB, Vernon SD. **Chronic fatigue syndrome versus systemic exertion intolerance disease.** *Fatigue: Biomedicine, Health and Behavior* 2015;3(3):127-41.
<http://dx.doi.org/10.1080/21641846.2015.1051291>

15. Jason LA, Sunnquist M, Brown A, McManimen S, Furst J. **Reflections on the Institute of Medicine's systemic exertion intolerance disease.** *Polskie Archiwum Medycyny Wewnętrznej* 2015;125(7-8):576-81.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4826027/>
16. Jason LA, McManimen S, Sunnquist M, Brown A, Newton JL, Strand EB. **Examining the Institute of Medicine's Recommendations Regarding Chronic Fatigue Syndrome: Clinical Versus Research Criteria.** *Journal of Neurology & Psychology* 2015;2.
17. Jason LA, Kot B, Sunnquist M, Brown A, Reed J, Furst J, et al. **Comparing and contrasting consensus versus empirical domains.** *Fatigue: Biomedicine, Health and Behavior* 2015;3(2):63-74.
<http://dx.doi.org/10.1080/21641846.2015.1017344>
18. Jason LA, Kot B, Sunnquist M, Brown A, Evans M, Jantke R, et al. **Chronic Fatigue Syndrome and Myalgic Encephalomyelitis: Toward An Empirical Case Definition.** *Health Psychology & Behavioral Medicine* 2015;3(1):82-93.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4443921/>
19. Jason LA, Evans M, Brown A, Sunnquist M, Newton JL. **Chronic fatigue syndrome versus sudden onset myalgic encephalomyelitis.** *Journal of prevention & intervention in the community* 2015;43(1):62-77.
<http://dx.doi.org/10.1080/10852352.2014.973233>
20. Prochalska C, Gressier F, Corruble E. **Chronic Fatigue Syndrome: An independent disease?. [French].** *Annales Medico-Psychologiques* 2014;172(6):474-8.
<http://dx.doi.org/10.1016/j.amp.2012.11.012>
21. Herberholz N, Collin S, McCowat A, Crawley E. **Case series of pervasive refusal syndrome presenting with chronic fatigue syndrome: Avoiding the pitfall of a wrong diagnosis.** *Archives of Disease in Childhood* 2014;1):A70.
<http://dx.doi.org/10.1136/archdischild-2014-306237.168>
22. Snell CR, Stevens SR, Davenport TE, Van Ness JM. **Discriminative Validity of Metabolic and Workload Measurements for Identifying People With Chronic Fatigue Syndrome.** *Physical Therapy* 2013;93(11):1484-92.
23. Knight S, Harvey A, Lubitz L, Rowe K, Reveley C, Veit F, et al. **Paediatric chronic fatigue syndrome: Complex presentations and protracted time to diagnosis.** *Journal of Paediatrics and Child Health* 2013;49(11):919-24.
<http://dx.doi.org/10.1111/jpc.12425>

24. Maes M, Twisk FNM, Johnson C. **Myalgic Encephalomyelitis (ME), Chronic Fatigue Syndrome (CFS), and Chronic Fatigue (CF) are distinguished accurately: Results of supervised learning techniques applied on clinical and inflammatory data.** Psychiatry Research 2012;200(2-3):754-60.
<http://dx.doi.org/10.1016/j.psychres.2012.03.031>
25. Ruiz E, Alegre J, Garcia Quintana AM, Aliste L, Blazquez A, Fernandez De Sevilla T. **Chronic fatigue syndrome: Study of a consecutive series of 824 cases assessed in two specialized units. [Spanish].** Revista Clinica Espanola 2011;211(8):385-90.
<http://dx.doi.org/10.1016/j.rce.2011.02.013>
26. Jason LA, Boulton A, Porter NS, Jessen T, Njoku MG, Friedberg F. **Classification of myalgic encephalomyelitis/chronic fatigue syndrome by types of fatigue.** Behavioral Medicine 2010;36(1):24-31.
<http://dx.doi.org/10.1080/08964280903521370>
27. Jason L, Porter N, Shelleby E, Till L, Bell DS, Lapp CW, et al. **Severe versus moderate criteria for the new pediatric case definition for ME/CFS.** Child Psychiatry and Human Development 2009;40(4):609-20.
<http://dx.doi.org/10.1007/s10578-009-0147-8>
28. Hawk C, Jason LA, Torres-Harding S. **Differential Diagnosis of Chronic Fatigue Syndrome and Major Depressive Disorder.** International Journal of Behavioral Medicine 2006;13(3):244-51.
<http://www.ncbi.nlm.nih.gov/pubmed/17078775>
29. Van Hoof E, De Meirleir K. **Chronic Fatigue Syndrome and Myalgic Encephalomyelitis: Are Both Conditions on the Same Continuum?** North American Journal of Psychology 2005;7(2):189-204.
30. King CP. **The development of a diagnostic screening instrument for chronic fatigue syndrome.** Dissertation Abstracts International: Section B: The Sciences and Engineering 2003;63(12-B):6097.
31. Tan EM, Sugiura K, Gupta S. **The case definition of chronic fatigue syndrome.** Journal of Clinical Immunology 2002;22(1):8-12.
<http://dx.doi.org/10.1023/A:1014248301721>
32. Jason LA, Taylor RR. **Applying cluster analysis to define a typology of chronic fatigue syndrome in a medically-evaluated, random community sample.** Psychology & Health 2002;17(3):323-37.
<http://dx.doi.org/10.1080/08870440290029575>

33. Komaroff AL. **An examination of the working case definition of chronic fatigue syndrome.** American Journal of Medicine 1996;100(1):56-64.
<http://dx.doi.org/10.1016/S0002-9343%2896%2990012-1>

Årsak til CFS/ME

Primærstudier

1. Blomberg J, Gottfries CG, Elfaitouri A, Rizwan M, Rosen A. **Infection elicited autoimmunity and Myalgic encephalomyelitis/chronic fatigue syndrome: An explanatory model.** Frontiers in Immunology 2018;9:229.
<http://dx.doi.org/10.3389/fimmu.2018.00229>
2. Almenar-Perez E, Nathanson L, Sanchez-Fito T, Sarria L, Cerda-Olmedo G, Ultra E. **MiRNA profiling of circulating EVs in Myalgic Encephalomyelitis/Chronic Fatigue Syndrome (ME/CFS).** Journal of Extracellular Vesicles 2018;7 (Supplement 1):139.
<http://dx.doi.org/10.1080/20013078.2018.1461450>
3. Rajeevan MS, Murray J, Oakley L, Lin JMS, Unger ER. **Association of chronic fatigue syndrome with premature telomere attrition.** Journal of Translational Medicine 2018;16(1):44.
<http://dx.doi.org/10.1186/s12967-018-1414-x>
4. Wyller VB, Nguyen CB, Ludviksen JA, Mollnes TE. **Transforming growth factor beta (TGF-beta) in adolescent chronic fatigue syndrome.** Journal of Translational Medicine 2017;15(1): 245.
<http://dx.doi.org/10.1186/s12967-017-1350-1>
5. Nguyen CB, Alsoe L, Lindvall JM, Sulheim D, Fagermoen E, Winger A, et al. **Whole blood gene expression in adolescent chronic fatigue syndrome: An exploratory cross-sectional study suggesting altered B cell differentiation and survival.** Journal of Translational Medicine 2017;15(1):102.
<http://dx.doi.org/10.1186/s12967-017-1201-0>
6. Baraniuk JN, Rayhan RU, Surian A, Keefe M, Ordway E, Addiego FM, et al. **Neuroinflammatory biomarkers in chronic fatigue syndrome (CFS).** Journal of Allergy and Clinical Immunology 2017;139 (2 Supplement 1):AB210.
[https://www.jacionline.org/article/S0091-6749\(16\)32198-4/abstract](https://www.jacionline.org/article/S0091-6749(16)32198-4/abstract)
7. Mensah F, Bansal A, Berkovitz S, Sharma A, Reddy V, Leandro MJ, et al. **Extended B cell phenotype in patients with myalgic**

encephalomyelitis/chronic fatigue syndrome: a cross-sectional study. Clinical and Experimental Immunology 2016;184(2):237-47.
<http://dx.doi.org/10.1111/cei.12749>

8. Fluge O, Mella O, Bruland O, Risa K, Dyrstad SE, Alme K, et al. **Metabolic profiling indicates impaired pyruvate dehydrogenase function in myalgic encephalopathy/chronic fatigue syndrome.** JCI insight 2016;1(21):e89376.
<https://dx.doi.org/10.1172/jci.insight.89376>
9. Morris G, Maes M. **Mitochondrial dysfunctions in Myalgic Encephalomyelitis/chronic fatigue syndrome explained by activated immuno-inflammatory, oxidative and nitrosative stress pathways.** Metabolic Brain Disease 2014;29(1):19-36.
<http://dx.doi.org/10.1007/s11011-013-9435-x>
10. Morris G, Maes M. **A neuro-immune model of Myalgic Encephalomyelitis/Chronic fatigue syndrome.** Metabolic Brain Disease 2013;28(4):523-40.
<http://dx.doi.org/10.1007/s11011-012-9324-8>
11. Maes M. **Inflammatory and oxidative and nitrosative stress cascades as new drug targets in myalgic encephalomyelitis and chronic fatigue syndrome.** Inflammation in Psychiatry 2013;Modern Trends in Pharmacopsychiatry. 28:162-74.
<http://dx.doi.org/10.1159/000343982>
12. Sulheim D, Hurum H, Helland IB, Thaulow E, Wyller VB. **Adolescent chronic fatigue syndrome; A follow-up study displays concurrent improvement of circulatory abnormalities and clinical symptoms.** BioPsychoSocial Medicine Vol 6 2012, ArtID 10 2012;6.
<http://dx.doi.org/10.1186/1751-0759-6-10>
13. Morris G, Maes M. **Increased nuclear factor-kappaB and loss of p53 are key mechanisms in Myalgic Encephalomyelitis/chronic fatigue syndrome (ME/CFS).** Medical Hypotheses 2012;79(5):607-13.
<http://dx.doi.org/10.1016/j.mehy.2012.07.034>
14. Chapenko S, Krumina A, Logina I, Rasa S, Chistjakovs M, Sultanova A, et al. **Association of active human herpesvirus-6, -7 and parvovirus b19 infection with clinical outcomes in patients with myalgic encephalomyelitis/chronic fatigue syndrome.** Advances in Virology 2012;2012:205085.
<https://dx.doi.org/10.1155/2012/205085>
15. Armstrong CW, McGregor NR, Sheedy JR, Buttfield I, Butt HL, Gooley PR. **NMR metabolic profiling of serum identifies amino acid disturbances in chronic fatigue syndrome.** Clinica Chimica Acta

2012;413(19-20):1525-31.
<http://dx.doi.org/10.1016/j.cca.2012.06.022>

16. Switzer WM, Jia H, Zheng H, Tang S, Garcia RA, Satterfield BC. **Serologic and PCR testing of persons with chronic fatigue syndrome in the United States shows no association with xenotropic or polytropic murine leukemia virus-related virus.** *Retrovirology* 2011;1):A232.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3050813/>
17. Logina I, Krumina A, Chapenko S, Rasa S, Chistyakov M, Sultanova A, et al. **Pain in chronic fatigue syndrome/myalgic encephalomyelitis patients: Relation to active HHV-6, HHV-7 and parvovirus B19 infection/co-infection.** *European Journal of Pain Supplements* 2011;5 (1):127.
<http://dx.doi.org/10.1016/S1754-3207%2811%2970434-5>
18. Lorusso L, Mikhaylova SV, Capelli E, Ferrari D, Ngonga GK, Ricevuti G. **Immunological aspects of chronic fatigue syndrome.** *Autoimmunity Reviews* 2009;8(4):287-91.
<http://dx.doi.org/10.1016/j.autrev.2008.08.003>
19. Pall ML. **Elevated peroxynitrite as the cause of chronic fatigue syndrome: Other inducers and mechanisms of symptom generation.** *Journal of Chronic Fatigue Syndrome* 2000;7(4):45-58.
https://www.tandfonline.com/doi/abs/10.1300/J092v07n04_05

Dyreforsøk

1. van Dijk M, Dijk FJ, Hartog A, van Norren K, Verlaan S, van Helvoort A, et al. **Reduced dietary intake of micronutrients with antioxidant properties negatively impacts muscle health in aged mice.** *Journal of Cachexia, Sarcopenia and Muscle* 2018;9(1):146-59.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5803605/>
2. Anonymous. **Summer Meeting - The Future of Animal Products in the Human Diet: Health and Environmental Concerns.** *Proceedings of the Nutrition Society Conference: Summer Meeting The Future of Animal Products in the Human Diet: Health and Environmental Concerns United Kingdom* 2015;74(OCE5).
<https://www.cambridge.org/core/journals/proceedings-of-the-nutrition-society/issue/5C6BD9D0DDC1FF3276F097AA814FE909>
3. Singh B, Mishra J, Kumar A, Sah SP. **Neuroprotective effect of losartan against chronic fatigue stress (cfs) and associated**

complications in mice. Indian Journal of Pharmacology 2013;1):S234.

4. Morimoto Y, Zhang Q, Adachi K. **Increased blood quinolinic acid after exercise in mice: Implications for sensation of fatigue after exercise.** Journal of Health Science 2011;57(4):367-71.
https://www.jstage.jst.go.jp/article/jhs/57/4/57_4_367/article
5. Suzuki M, Kawasaki D, Inoue N, Oka H, Miura N, Kurimoto T. **The enhancing effect of CEPIE Herb Drink on recovery from fatigue in yeast-induced pyrexia mice. [Japanese].** Japanese Pharmacology and Therapeutics 2007;35(7):723-30.
6. Kamakura M, Mitani N, Fukuda T, Fukushima M. **Antifatigue effect of fresh royal jelly in mice.** Journal of Nutritional Science and Vitaminology 2001;47(6):394-401.
<https://www.ncbi.nlm.nih.gov/pubmed/11922114>
7. Dwyer D, Browning J. **Endurance training in Wistar rats decreases receptor sensitivity to a serotonin agonist.** Acta Physiol Scand 2000;170(3):211-6.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1365-201X.2000.00774.x>

Vedlegg - Søkestrategier

MEDLINE, Embase, PsycINFO, Amed (søkt samtidig via Ovid)

Søketreff: 352

1. (((Post exertion* or postexertion*) adj3 (malaise or exhaust*)) or (post exercise malaise or post exercise exhaust*)).tw.
2. ((exertion or malaise) adj2 ("after" or following) adj2 (exercise or physical activity)).tw.
3. 1 or 2
4. remove duplicates from 3

ISI Web of Science

Søketreff: 136

[Print Search History](#) [Retrieve Searches](#) [Retrieve Alerts](#) [Save Searches / Alerts](#)

Select / deselect all [Search with AND](#) [Search with OR](#) [Delete Searches](#) [Refresh Search Results](#)

Search ID#	Search Terms	Search Options	Actions
<input type="checkbox"/> S4	S1 OR S2 OR S3	Search modes - Boolean/Phrase	View Results (138) View Details Edit
<input type="checkbox"/> S3	TI (post exertion or postexertion) OR AB (post exertion or postexertion)	Search modes - Boolean/Phrase	View Results (60) View Details Edit
<input type="checkbox"/> S2	TI ((malaise or exhaustion) N2 ("after" or following) N2 (exercise or physical Activity or exertion)) OR AB ((malaise or exhaustion) N2 ("after" or following) N2 (exercise or physical Activity or exertion))	Search modes - Boolean/Phrase	View Results (51) View Details Edit
<input type="checkbox"/> S1	AB ((post exercise or postexercise) N4 (malaise or exhaustion)) OR TI ((post exercise or postexercise) N4 (malaise or exhaustion))	Search modes - Boolean/Phrase	View Results (29) View Details Edit

Epistemonikos

Søketreff: 4

Advanced search, title or abstract: (Post-Exertional Malaise) OR (Post-exertional neuroimmune exhaustion)

Utgitt av Folkehelseinstituttet
Februar 2019
Postboks 4404 Nydalen
NO-0403 Oslo
Telefon: 21 07 70 00
Rapporten kan lastes ned gratis fra
Folkehelseinstituttets nettsider www.fhi.no